



# New Dacia Duster



Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Dacia Cyprus reserves the right to modify its models without notice, including their characteristics, specifications, equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications, equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given. It is therefore necessary to check with your Dacia Dealer before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised. Publication date January 2017. CHARTERHOUSE.

Showrooms Number - Tel: 77 77 77 01   Workshops Number - Tel: 77 77 11 12   Spare Parts Number - Tel: 77 77 21 22

# New Dacia Duster



30 January 2017

# Welcome to Dacia

You’ve probably realised by now, but we’re not your usual car brand. We began with the dream that more people should have the opportunity to own a new car. To make it a reality we created a range that combines space and quality at an unbelievable price. We believe in function over frivolity and that by being simple, reliable and smart we can make a real difference.

Dacia’s are cleverly designed, reassuringly robust and incredibly reliable. They’re also shockingly affordable because we only ask drivers to pay for what they need, not the fancy extras they’ll never use. It’s an approach that has rewarded us with incredible growth across Europe since 2004 and won us more awards than we know what to do with.

We hope you like what you see and will join us in the Dacia family.



# Our awards

We don’t tend to make a song and dance about our cars. It’s not our way. But that’s fine, because lots of people are happy to do it for us.

When it launched in the UK in 2013, the Dacia Sandero won the What Car? Best Small Car Under £12,000 award. It’s gone on to win it every single year since.

Dacia’s been voted 4th best car brand from 32 other brands in the most recent Auto Express, Driver Power Survey, and has been in the top five since 2014. In the same survey, Dacia Logan MCV was voted the best family car. Not too shabby eh?

Dacia was also voted the 4th most reliable car brand in the 2016 Which? Car Survey – receiving a 90% satisfaction score based on feedback from more than 59,000 UK car owners reliability survey.

Dacia was awarded a Silver Award in the recent Auto Express Driver Power survey for Dealer Aftersales Service Satisfaction showing our commitment to customer service.

It just goes to show – if you refuse to compromise, anything is possible.



# Introducing New Dacia Duster

Rugged, robust, no-nonsense: these are words to describe New Dacia Duster. It's a car to help you take on any challenge.

Practicality and functionality are at the heart of New Duster's clever design. It can carry up to 5 people and has up to 475 litres\* of boot space to house their luggage. With the back seats folded down, New Duster's load capacity expands up to 1,636 litres\*. Useful? Thought so.

The design turns heads but there's function behind the form, too. All versions come with ABS and ESC (Electronic Stability Control) as standard. New Duster's high ground clearance and wide approach and departure angles are designed to tackle difficult obstacles over tough terrain. Beneath the surface, a selectable 3-mode 4-wheel-drive system\*\*, developed using Nissan's expertise, also provides grip where you need it most, off the beaten track or during hazardous road conditions.

Times have changed. Driving a 4x4 used to be the reserve of a privileged few. With New Dacia Duster, it's a pleasure more of us can enjoy, with supersize space for supermini prices. Its economical and ecological dCi 110 diesel engine achieves over 60.1mpg on the combined cycle and emits exceptionally low levels of CO<sub>2</sub> for an SUV: just 115 g/km on 4x2 versions and 123 g/km on 4x4 versions.†

Because everybody's different, New Dacia Duster concentrates on the essentials rather than the unnecessary. With five simple trim levels, three engines, an automatic or manual transmissions and a range of accessories, it's easy to choose the New Duster to suit you. From the affordable Access, to the luxurious Prestige. There's a New Dacia Duster for everyone.

\*4x2 versions only \*\*4x4 versions only

†Figures are obtained for comparative purposes in accordance with EU Legislation and may not reflect real life driving results.



Model shown is Duster Lauréate in Slate Grey



# Equipment

## CORE FEATURES - standard on all versions of New Dacia Duster

### Exterior Features

- Black front and rear bumpers (lower section)
- Double optic headlights
- Chrome front grille
- Longitudinal roof bars with 'Duster' inscription
- Black number plate surround with satin chrome 'Duster' inscription

### Safety

- ABS and Emergency Brake Assist
- ESC (Electronic Stability Control) with ASR (Traction Control)
- Driver's airbag
- Passenger airbag with deactivation function
- Front side airbags
- Driver and passenger seatbelt not fastened - audible and visual warning
- Door open - visual and audible warning
- Front seatbelt pretensioners
- Height-adjustable front headrests
- Height-adjustable front seatbelts
- 3 x 3-point rear seatbelts
- ISOFIX points for child seats in both outer rear seats
- Child locks in rear doors
- Emergency spare wheel (4x4 versions only)
- Tyre inflation kit (4x2 versions only)
- High-level third rear brake light

### Security

- Thatcham-approved engine immobiliser
- Remote central locking

### Driving and Controls

- Power-assisted steering
- Gear shift indicator
- ECO mode
- Stop & Start
- Rev counter
- Centre differential lock with selectable 2WD, Auto and Lock modes (4x4 versions only)

### Visibility and Exterior Lighting

- 3-speed front windscreen wipers
- Rear wash/wipe
- Heated rear window
- Daytime running lights

### Comfort and Convenience

- Boot light
- 4-speed heating and ventilation with air recirculation

## ACCESS - additional equipment over core features

### Exterior Features

- 16" 'Eiger' steel wheels
- Black door handles
- Black door mirrors
- Black front and rear bumpers (upper section)
- Black roof bars with 'Duster' inscription
- Black side sills

### Interior Features

- Matt Black central console surround
- Black door handles (front and rear)
- Cloth upholstery
- Black air vent surrounds

### Safety

- Three height-adjustable rear headrests

### Visibility and Exterior Lighting

- Manually adjustable door mirrors

### Comfort and Convenience

- Electric front windows
- Manual rear windows
- One-piece folding rear bench seat
- Height-adjustable steering wheel

### Communication and Connectivity

- Pre-wiring for accessory-fit radio and speaker system

## AMBIANCE - additional equipment over Access

### Exterior Features

- 16" 'Sierra' steel wheels
- Body coloured front and rear bumpers (upper section)

### Interior Features

- Charcoal Grey central console surround
- Charcoal Grey door handles (front and rear)
- Chrome air vent surrounds

### Visibility and Exterior Lighting

- Front fog lights

### Comfort and Convenience

- Height-adjustable driver's seat
- 60/40 split folding rear seat (seatback only split)
- Rear passenger reading light

### Communication and Connectivity

- 4 x 20W DAB/FM/AM tuner with steering-column mounted fingertip controls
- Bluetooth®\* connectivity
- AUX input
- USB connection for MP3 players

## LAUREATE - additional equipment over Ambiance

### Exterior Features

- 16" 'Tyrol' alloy wheels
- Satin chrome door mirrors
- Body-coloured door handles
- Satin chrome roof bars with 'Duster' inscription
- Satin chrome side sills
- Satin chrome skid plates - front and rear

### Interior Features

- Charcoal Grey decorative inserts on door panels
- Chrome logo surround on steering wheel
- Charcoal Grey lower steering wheel insert
- Black doorsill protection strip
- Map pockets on both front seatbacks
- Leather steering wheel
- Cloth upholstery
- Chrome gear lever cap insert

### Driving and Controls

- 7-function on-board computer: odometer, trip computer, fuel used/average fuel consumption, fuel range, average speed, next service indicated, outside temperature gauge
- Cruise control and speed limiter

### Visibility and Exterior Lighting

- Heated and electrically-adjustable door mirrors

### Comfort and Convenience

- Manual air conditioning
- Electric rear windows
- Glovebox light
- Passenger vanity mirror in sunvisor
- Front map light

## PRESTIGE - additional equipment over Lauréate

### Exterior Features

- 16" Tyrol Diamond - cut alloy wheels

### Comfort and Convenience

- MediaNav
  - Satellite navigation
  - RDS - TMC (Traffic Message Channel) for Traffic Info
  - SIRI 'Eyes Free'
- Reversing Camera
  - Rear parking sensors



\*For compatible devices, please refer to <http://www.dacia.co.uk/owner-services/multimedia/>



Colours

SOLID



Glacier White (369)

METALLIC



Mercury (D69)



Pearl Black (676)



Slate Grey (KNA)



Chestnut (CNG)



Cosmos Blue (RPR)



Pennine Green (DPC)

| Colour Code    | Colour        | Access | Ambiance | Lauréate | Prestige |
|----------------|---------------|--------|----------|----------|----------|
| SOLID PAINT    |               |        |          |          |          |
| 369            | Glacier White | ●      | ●        | ●        | ●        |
| METALLIC PAINT |               |        |          |          |          |
| D69            | Mercury       | -      | ○        | ○        | ○        |
| 676            | Pearl Black   | -      | ○        | ○        | ○        |
| KNA            | Slate Grey    | -      | ○        | ○        | ○        |
| CNG            | Chestnut      | -      | ○        | ○        | ○        |
| RPR            | Cosmos Blue   | -      | ○        | ○        | ○        |
| DPC            | Pennine Green | -      | ○        | ○        | ○        |

Wheels



16" 'Eiger' steel wheels



16" 'Sierra' steel wheels



16" 'Tyrol' alloy wheels



16" Diamond-cut 'Tyrol' alloy wheels

|                                      | Access | Ambiance | Lauréate | Prestige |
|--------------------------------------|--------|----------|----------|----------|
| 16" 'Eiger' steel wheels             | ●      | -        | -        | -        |
| 16" 'Sierra' steel wheels            | -      | ●        | -        | -        |
| 16" 'Tyrol' alloy wheels             | -      | -        | ●        | -        |
| 16" Diamond-cut 'Tyrol' alloy wheels | -      | -        | -        | ●        |

● = Standard ○ = Optional - = Not available FOC = Free of Charge option

Interiors

ACCESS



AMBIANCE



LAUREATE+ / PRESTIGE



Upholstery



'Bainite' cloth upholstery



'Graphite' cloth upholstery



'Aspira' leather upholstery

|                              | Access | Ambiance | Ambiance Prime | Lauréate | Prestige |
|------------------------------|--------|----------|----------------|----------|----------|
| 'Bainite' cloth upholstery   | ●      | ●        | ●              | -        | -        |
| 'Graphite' cloth upholstery  | -      | -        | -              | ●        | ●        |
| 'Aspira' leather* upholstery | -      | -        | -              | ○        | ○        |

\*Genuine leather on central section; synthetic leather on side bolsters and rear.  
† MediaNav 7" touchscreen and reverse parking camera optional on Lauréate trim

MediaNav multimedia system

Dacia's on-board 7" touch screen tablet MediaNav provides access to useful and practical features including: navigation, media from multiple sources and handsfree telephone using Bluetooth® technology. Enjoy stress free travel with Dacia MediaNav. Available as standard on Prestige or optional on Lauréate.



Navigation

Provided by Navteq with vocal guidance.



Radio

Listen to DAB, FM or AM radio.



Phone

Bluetooth® technology\* allows you to make and receive calls on the move.



Music

DAB/FM/AM tuner, connect devices via USB and AUX sockets.

\*For compatible devices, please refer to <http://www.dacia.co.uk/owner-services/multimedia/>

# Engines

At Dacia, we believe that having an affordable car shouldn't mean having to compromise on engine quality. Rigorous testing of Dacia engines is carried out at our state-of-the-art test centres, with each variant undergoing 20,000 hours of running on the test bench and 800,000 kilometres of test driving.

The New Dacia Duster offers you three types of engine.

The entry engine SCe 115 offers you 115bhp from its 4-cylinder, 1,600cc engine achieving an efficient 44.1mpg combined (4x2) and CO<sub>2</sub> emissions of 145g/km (4x2).\*

The TCe engine brings you more performance without excessive price. Thanks to turbocharging technology, the TCe 125 produces an impressive 125bhp from its 4-cylinder, 1,200cc engine, yet still achieves 46.3 mpg combined (4x2) and CO<sub>2</sub> emissions of just 138 g/km (4x2).\*

For those seeking ultimate fuel efficiency, the 1.5 dCi 110 diesel engine achieves 64.2 mpg (4x2) combined and only 115 g/km CO<sub>2</sub> (4x2).\*

## Efficient Dual Clutch (EDC)automatic gearbox

For greater comfort and pleasure, the 6-speed dual-clutch EDC automatic gearbox is available with the dCi 110 4x2 powertrain on Lauréate and Prestige trim levels. Upshifting is fast and smooth, with no jerking or loss in acceleration.

## Engine availability

|                  | Access | Ambiance | Lauréate | Prestige |
|------------------|--------|----------|----------|----------|
| SCe 115 4x2      | ●      | ●        | -        | -        |
| SCe 115 4x4      | ●      | ●        | -        | -        |
| TCe 125 4x2      | -      | -        | ●        | ●        |
| TCe 125 4x4      | -      | -        | ●        | ●        |
| dCi 110 4x2      | -      | ●        | ●        | ●        |
| dCi 110 4x2 Auto | -      | -        | ●        | ●        |
| dCi 110 4x4      | -      | ●        | ●        | ●        |

● = Standard - = Not available \*Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site [www.vca.gov.uk](http://www.vca.gov.uk). For more information on CO<sub>2</sub> banding and Company Car Tax Benefit in Kind go to [www.renault.co.uk](http://www.renault.co.uk)



Accessories



PROTECTION PACK

Alarm, 'Monitor' carpet mats - front and rear, Exterior tailgate protection, Mudguards - front and rear, All-in-one boot liner, Rear parking sensors



STYLING PACK

Chrome side bars, Chrome front bar, Chrome plated exhaust tailpipe finisher



LEATHER PACK

Front and rear seats finished in Ash leather\*



ACTION PACK

Chrome front bar, Fog lamp rings, Black rear roof spoiler, Side Steps



SPOILER PACK

Boost your New Duster's muscular, powerful look and protect its bonnet. Black Carbon-look front bonnet protector and rear roof spoiler.



TOURING PACK

Standard towbar with 13-pin electric kit, Transversal roof bars (to fit longitudinal roof bars), Front central armrest - dark grey



WINDOW PACK

Wind deflectors (Front and Rear windows), Sun blinds (rear windscreen and 4 rear windows)



SIDESTEPS

Accentuate your Dacia's muscular look while protecting the bodywork from small, everyday bumps. They make access to your roof accessories practical and easy.

| ACCESSORIES           | Access | Ambiance | Lauréate | Prestige |
|-----------------------|--------|----------|----------|----------|
| Boot liner            | ○      | ○        | ○        | ○        |
| Side steps            | ○      | ○        | ○        | ○        |
| Spoiler Pack - Carbon | ○      | ○        | ○        | ○        |
| Leather Pack          | ○      | ○        | ○        | ○        |
| Protection Pack       | ○      | ○        | ○        | ○        |
| Styling Pack          | ○      | ○        | ○        | ○        |
| Touring Pack          | ○      | ○        | ○        | ○        |
| Action Pack           | ○      | ○        | ○        | ○        |
| Window Pack           | ○      | ○        | ○        | ○        |

○ = Optional - = Not available \*Leather facings with synthetic leather sides and backs.


To find out about our full range of available accessories, please consult your local Dacia dealer.

Technical Specifications

|                                  |                                                          | SCe 115 4x2                                                 | SCe 115 4x4                  | TCe 125 4x2                                               | TCe 125 4x4                  | dCi 110 4x2                                               | dCi 110 4x2 Auto                                          | dCi 110 4x4                              |
|----------------------------------|----------------------------------------------------------|-------------------------------------------------------------|------------------------------|-----------------------------------------------------------|------------------------------|-----------------------------------------------------------|-----------------------------------------------------------|------------------------------------------|
| ENGINE                           | Engine type                                              | H4Mk JR5                                                    | H4Mk TL8                     | H5Ft TL4                                                  | H5Ft TL8                     | K9K 658                                                   | K9K 667                                                   | K9K 658                                  |
|                                  | Cubic capacity (cm³)                                     | 1,598                                                       | 1,598                        | 1,197                                                     | 1,197                        | 1,461                                                     | 1,461                                                     | 1,461                                    |
|                                  | Number of cylinders/valves                               | 4 in line / 16                                              | 4 in line / 16               | 4 in line / 16                                            | 4 in line / 16               | 4 in line / 8                                             | 4 in line / 8                                             | 4 in line / 8                            |
|                                  | Fuel                                                     | Unleaded petrol                                             | Unleaded petrol              | Unleaded petrol                                           | Unleaded petrol              | Diesel                                                    | Diesel                                                    | Diesel                                   |
|                                  | Fuel injection type                                      | Multipoint sequential                                       | Multipoint sequential        | Direct                                                    | Direct                       | Commonrail direct + multipoint injection                  | Commonrail direct + multipoint injection                  | Commonrail direct + multipoint injection |
|                                  | Aspiration                                               | Naturally-aspirated                                         | Naturally-aspirated          | Turbocharged                                              | Turbocharged                 | Turbocharged                                              | Turbocharged                                              | Turbocharged                             |
|                                  | Particulate filter (PF)                                  | -                                                           | -                            | -                                                         | -                            | Standard                                                  | Standard                                                  | Standard                                 |
|                                  | Bore x Stroke                                            | 78 x 83.6                                                   | 78 x 83.6                    | 72.2 x 73.2                                               | 72.2 x 73.2                  | 76 x 80.5                                                 | 76 x 80.5                                                 | 76 x 80.5                                |
|                                  | Compression ratio                                        | 10.7                                                        | 10.7                         | 9.25                                                      | 9.25                         | 15.5                                                      | 15.5                                                      | 15.5                                     |
|                                  | Peak power kW (HP) @ RPM                                 | 84 (115) @ 5,500                                            | 84 (115) @ 5,500             | 92 (125) @ 5250                                           | 92 (125) @ 5250              | 80 (109) @ 4,000                                          | 80 (109) @ 4,000                                          | 80 (109) @ 4,000                         |
| PERFORMANCE                      | Peak torque (Nm) @ RPM                                   | 156 @ 4,000                                                 | 156 @ 4,000                  | 205 @ 2000                                                | 205 @ 2000                   | 260 @ 1,750                                               | 250 @ 1,750                                               | 260 @ 1,750                              |
|                                  | Stop and Start                                           | Yes                                                         | Yes                          | Yes                                                       | Yes                          | Yes                                                       | Yes                                                       | Yes                                      |
|                                  | Aerodynamics S (m²) / Cx                                 | 2.42 / 0.42                                                 | 2.42 / 0.42                  | 2.42 / 0.42                                               | 2.42 / 0.42                  | 2.42 / 0.42                                               | 2.42 / 0.42                                               | 2.42 / 0.42                              |
|                                  | Maximum Speed mph (km/h)                                 | 105 (170)                                                   | 104 (168)                    | 109 (175)                                                 | 110 (177)                    | 105 (169)                                                 | 105 (169)                                                 | 104 (168)                                |
|                                  | 0- 62 mph - secs (0-100 km/h)                            | 11.0                                                        | 12.0                         | 10.4                                                      | 11.0                         | 11.8                                                      | 11.9                                                      | 12.4                                     |
|                                  | 400 m stopping distance (secs)                           | 17.8                                                        | 18.5                         | 17.2                                                      | 17.8                         | 18.1                                                      | 18.7                                                      | 18.7                                     |
|                                  | 1000 m stopping distance (secs)                          | 32.2                                                        | 33.8                         | 32.1                                                      | 32.7                         | 34.2                                                      | 33.8                                                      | 34.5                                     |
|                                  | CO <sub>2</sub> (g/km)                                   | 145                                                         | 155                          | 138                                                       | 145                          | 115                                                       | 116                                                       | 123                                      |
|                                  | Urban cycle - mpg (l/100 km)                             | 36.7 (7.7)                                                  | 35.3 (8.0)                   | 38.7 (7.3)                                                | 39.8 (7.1)                   | 62.8 (4.5)                                                | 64.2 (4.4)                                                | 58.9 (4.8)                               |
|                                  | Extra-urban cycle - mpg (l/100km)                        | 50.4 (5.6)                                                  | 45.6 (6.2)                   | 51.4 (5.5)                                                | 47.1 (6.0)                   | 65.7 (4.3)                                                | 62.8 (4.5)                                                | 60.1 (4.7)                               |
| FUEL CONSUMPTION * AND EMISSIONS | Combined cycle - mpg (l/100km)                           | 44.1 (6.4)                                                  | 41.5 (6.8)                   | 46.3 (6.1)                                                | 44.1 (6.4)                   | 64.2 (4.4)                                                | 62.8 (4.5)                                                | 60.1 (4.7)                               |
|                                  | Drive type                                               | Front-wheel drive                                           | All-wheel drive (selectable) | Front-wheel drive                                         | All-wheel drive (selectable) | Front-wheel drive                                         | Front-wheel drive                                         | All-wheel drive (selectable)             |
|                                  | Gearbox type                                             | Manual                                                      | Manual                       | Manual                                                    | Manual                       | Manual                                                    | Efficient Dual Clutch                                     | Manual                                   |
|                                  | Gearbox type/index                                       | JRQ / 395                                                   | TL8*008                      | TL4*082                                                   | TL8*004                      | TL4 / 075                                                 | DC4*020                                                   | TL8 / 005                                |
|                                  | Number of forward gears                                  | 5                                                           | 6                            | 6                                                         | 6                            | 6                                                         | 6                                                         | 6                                        |
|                                  | Vehicle speeds (mph) per 1000 rpm: in 1st gear           | 4.80                                                        | 3.60                         | 4.71                                                      | 3.60                         | 4.96                                                      | 4.58                                                      | 3.60                                     |
|                                  | Vehicle speeds (mph) per 1000 rpm: in 2nd gear           | 8.73                                                        | 6.20                         | 9.01                                                      | 6.20                         | 9.49                                                      | 7.96                                                      | 6.20                                     |
|                                  | Vehicle speeds (mph) per 1000 rpm: in 3rd gear           | 13.53                                                       | 9.49                         | 13.27                                                     | 9.82                         | 13.97                                                     | 12.25                                                     | 9.82                                     |
|                                  | Vehicle speeds (mph) per 1000 rpm: in 4th gear           | 18.40                                                       | 13.69                        | 18.00                                                     | 14.39                        | 18.95                                                     | 17.4                                                      | 14.39                                    |
|                                  | Vehicle speeds (mph) per 1000 rpm: in 5th gear           | 23.64                                                       | 17.54                        | 23.00                                                     | 19.78                        | 24.21                                                     | 23.34                                                     | 19.78                                    |
| GEARBOX                          | Vehicle speeds (mph) per 1000 rpm: in 6th gear           | -                                                           | 21.92                        | 27.50                                                     | 25.99                        | 28.96                                                     | 30.14                                                     | 25.99                                    |
|                                  | Steering type                                            | Power-assisted (Hydraulic)                                  | Power-assisted (Hydraulic)   | Power-assisted (Hydraulic)                                | Power-assisted (Hydraulic)   | Power-assisted (Hydraulic)                                | Power-assisted (Hydraulic)                                | Power-assisted (Hydraulic)               |
|                                  | Turning circle between pavements / walls (m)             | 10.44 / 10.76                                               | 10.44 / 10.76                | 10.44 / 10.76                                             | 10.44 / 10.76                | 10.44 / 10.76                                             | 10.44 / 10.76                                             | 10.44 / 10.76                            |
|                                  | Number of turns (lock-to-lock)                           | 3.3                                                         | 3.3                          | 3.3                                                       | 3.3                          | 3.3                                                       | 3.3                                                       | 3.3                                      |
|                                  | Front suspension type                                    | McPherson-type with rectangular lower arm and anti-roll bar |                              |                                                           |                              |                                                           |                                                           |                                          |
|                                  | Rear suspension type                                     | Flexible axle with programmed deflection and coil springs   | McPherson-type multi-link    | Flexible axle with programmed deflection and coil springs | McPherson-type multi-link    | Flexible axle with programmed deflection and coil springs | Flexible axle with programmed deflection and coil springs | McPherson-type multi-link                |
|                                  | WHEELS / TYRES                                           | Wheel size                                                  | 6.5J16                       | 6.5J16                                                    | 6.5J16                       | 6.5J16                                                    | 6.5J16                                                    | 6.5J16                                   |
|                                  | Tyre specification                                       | 215/65 R16 98H M+S                                          | 215/65 R16 98H M+S           | 215/65 R16 98H M+S                                        | 215/65 R16 98H M+S           | 215/65 R16 98H M+S                                        | 215/65 R16 98H M+S                                        | 215/65 R16 98H M+S                       |
|                                  | Front: Ventilated discs - diameter (mm) / thickness (mm) | 269 / 22                                                    | 269 / 22                     | 280 / 24                                                  | 280 / 24                     | 280 / 24                                                  | 280 / 24                                                  | 280 / 24                                 |
|                                  | Rear: Drum - diameter (inches)                           | 9                                                           | 9                            | 9                                                         | 9                            | 9                                                         | 9                                                         | 9                                        |
| BRAKING                          | Anti-lock Braking System (ABS)                           | Standard (Bosch 9.1)                                        | Standard (Bosch 9.1)         | Standard (Bosch 9.1)                                      | Standard (Bosch 9.1)         | Standard (Bosch 9.1)                                      | Standard (Bosch 9.1)                                      | Standard (Bosch 9.1)                     |
|                                  | Electronic Brakeforce Distribution (EBD)                 | Standard                                                    | Standard                     | Standard                                                  | Standard                     | Standard                                                  | Standard                                                  | Standard                                 |
|                                  | Emergency Brake Assist (EBA)                             | Standard                                                    | Standard                     | Standard                                                  | Standard                     | Standard                                                  | Standard                                                  | Standard                                 |
|                                  | ESC (Electronic Stability Control)                       | Standard                                                    | Standard                     | Standard                                                  | Standard                     | Standard                                                  | Standard                                                  | Standard                                 |
|                                  | FUEL TANK CAPACITY                                       | Fuel tank capacity (litres)                                 | 50                           | 50                                                        | 50                           | 50                                                        | 50                                                        | 50                                       |
| WEIGHT                           | Kerb Weight (Excluding Driver) (kg)                      | 1,147                                                       | 1,254                        | 1,201                                                     | 1,312                        | 1,245                                                     | 1,336                                                     | 1,325                                    |
|                                  | Unladen weight on front axle (kg)                        | 686                                                         | 732                          | 734                                                       | 776                          | 777                                                       | -                                                         | 791                                      |
|                                  | Unladen weight on rear axle (kg)                         | 461                                                         | 522                          | 467                                                       | 536                          | 468                                                       | -                                                         | 534                                      |
|                                  | Total authorised laden weight (kg)                       | 1,697                                                       | 1,804                        | 1,751                                                     | 1,870                        | 1,795                                                     | 1,824                                                     | 1,875                                    |
|                                  | Gross train weight (GTW)                                 | 2,897                                                       | 3,304                        | 2,951                                                     | 3,370                        | 2,995                                                     | 3,024                                                     | 3,375                                    |
|                                  | Max payload (kg)                                         | 550                                                         | 550                          | 550                                                       | 550                          | 550                                                       | 475                                                       | 550                                      |
| TOWING CAPACITY                  | Max (driver only) towing weight: braked (kg)             | 1,500                                                       | 1,500                        | 1,500                                                     | 1,500                        | 1,500                                                     | 1,500                                                     | 1,500                                    |
|                                  | Max (driver only) towing weight: unbraked (kg)           | 580                                                         | 640                          | 635                                                       | 690                          | 640                                                       | 670                                                       | 695                                      |
| GROUND CLEARANCE                 | Ground clearance (unladen) (mm)                          | 205                                                         | 210                          | 205                                                       | 210                          | 205                                                       | 205                                                       | 210                                      |
|                                  | Wading depth (mm)                                        | 350                                                         | 350                          | 350                                                       | 350                          | 350                                                       | 350                                                       | 350                                      |

\* Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site [www.vca.gov.uk](http://www.vca.gov.uk). For more information on CO<sub>2</sub> banding and Company Car Tax Benefit in Kind go to [www.renault.co.uk](http://www.renault.co.uk)

Dimensions



| EXTERIOR DIMENSIONS (mm)                                   | 4x2           | 4x4           |
|------------------------------------------------------------|---------------|---------------|
| A - Wheelbase                                              | 2,673         |               |
| B - Overall bodywork length                                | 4,315         |               |
| C - Front overhang                                         | 822           |               |
| D - Rear overhang                                          | 820           |               |
| E - Front track                                            | 1,560         |               |
| F - Rear track                                             | 1,567         |               |
| G - Overall width with / without door mirrors              | 2,000 / 1,822 |               |
| H - Unladen height / with roof bars                        | 1,625 / 1,695 |               |
| K - Ground clearance (unladen)                             | 205           | 210           |
| L - Rear knee room                                         | 183           |               |
| M - Front elbow room                                       | 1,411         |               |
| M1 - Rear elbow room                                       | 1,438         |               |
| N - Front shoulder width                                   | 1,387         |               |
| N1 - Rear shoulder width                                   | 1,400         |               |
| P1 - Distance between hip joint and ceiling in front seats | 907           |               |
| P2 - Distance between hip joint and ceiling in rear seats  | 895           |               |
| Y2 - Interior width between wheel arches                   | 1,002         |               |
| Z1 - Loading length, rear seat in place                    | 992           |               |
| Z2 - Loading length with rear seats folded                 | 1,760         |               |
| BOOT VOLUME                                                | 4x2           | 4x4           |
| Under luggage space with repair kit / spare wheel          | 475 / 475     | 443 / 408     |
| Maximum boot space with rear seats folded down (litres)    | 1,636 / 1,636 | 1,604 / 1,570 |
| CLEARANCE ANGLES                                           | 4x2 and 4x4   |               |
| 1 Approach angle                                           | 30°           |               |
| 2 Ventral angle                                            | 23°           |               |
| 3 Departure angle                                          | 36°           |               |